


















Abstreifer

Profil	Typ	Standardwerkstoff	Druck (bar) ²	Temperatur (°C) ²	Gleitgeschw. (m/sec) ²
	WR01	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR01A	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR02	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR02A	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR02B	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR02C	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR03	PU/POM NBR/POM FKM/PGM	-	-30 bis 100 -25 bis 100 -20 bis 210	1
	WR04	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR07	PU POM	-	-30 bis 105 -30 bis 100	1
	WR08	PU POM	-	-30 bis 105 -30 bis 100	1
	WR11	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR12	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR17	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR18	PU NBR FKM	-	-30 bis 105 -25 bis 100 -20 bis 210	1
	WR13	PB, PK, PGM, PT, PEK/NBR PB, PK, PGM, PT, PEK/FKM	-	-25 bis 100 -20 bis 210	15
	WR14	PB, PK, PGM, PT, PEK/NBR PB, PK, PGM, PT, PEK/FKM	-	-25 bis 100 -20 bis 210	15
	WR15	PB, PK, PGM, PT, PEK/NBR PB, PK, PGM, PT, PEK/FKM	-	-25 bis 100 -20 bis 210	15